



Lower Brule Sioux Tribe (LBST)

COVID-19 Weekly Tribal Report | 17 February 2021 Week of 02.08.21 - 02.14.21

ALERT LEVEL

Current Alert Level: Lockdown

There is high community spread of COVID-19. People should stay at home for all but essential activities. Wear a mask for all activities outside your home.

Updates:

- It has been cold this week. We hope that all of you are staying safe and warm. The cold weather is predicted to break soon.
- The FDA will review the data from the vaccine trials for the single-shot Johnson & Johnson COVID-19 vaccine on Feb. 26. If it is granted EUA, it will be the third COVID-19 vaccine approved for use in the US.
- As of Feb. 12, IHS reports a total of 49,625 COVID-19 vaccines have been distributed to the GPA. Nationally, as of 2/15/21, IHS reports that 55% of their distributed vaccine doses have been administered. In the US as a whole, 77% of distributed doses have been administered.
- The CDC has released new guidelines on how to open schools safely. Per these guidelines, the safe opening of schools depends on a number of mitigation strategies (such as universal mask wearing), responsiveness to the level of community transmission and testing and vaccination programs. For full details, see the CDC Schools and -
- Child Care Programs page (https://www.cdc.gov/coronavirus/2019-ncov/community/schools-childcare/index.html)

	Indicators	LBST, PRC Counties	LBST, Tribal Specific Data
EEK	Test Positivity	22%	
LAST WI	New Cases Daily (per 100,000)	20	
	Change in New Cases	173%	
	COVID Hospitalizations	4%	

Recommendations:

- Universal mask wearing is recommended when outside your home.
- Stay at home except for essential activities like getting food or medicine; receiving medical care; or going to work.
- Only get together with the people you live with. Do not get together with friends or family that live in other households.
- When not at home, stay 6 feet away from other people and wear a mask.
- Schools should be virtual.
- Everyone who can do their job remotely should work from home.
- Only essential businesses should remain open to the public and they should have safety precautions in place, such as maintaining 6 feet of distance between people and universal mask wearing.

• Gatherings and public events should be cancelled.

Lower Brule Sioux Tribe, PRC Counties

S	Week	Level	Test Positivity	New Cases (per 100,00)	Change in New Cases	COVID Hospitalizations
TREND	3 weeks ago	3	19%	21	-49%	6%
E	2 weeks ago	3	9%	7	-64%	5%
	Last week	3	22%	20	+173%	4%
	Trend	Stable	No trend	No trend	No trend	Stable

Lower Brule Sioux Tribe, Tribal Specific Data

TRENDS	Week	Level	Test Positivity	New Cases (per 100,00)	Change in New Cases	COVID Hospitalizations
	3 weeks ago					
	2 weeks ago					
	Last week					
	Trend					

Level 2: Caution

Alert Level Definitions

Level 1: Take Care

	MEDIUM RISK OF INFECTION	HIGH RISK OF INFECTION
LEVELS	Tribes in Level 1 have low levels of virus in the community. People usually know how they became infected. Being careful will help keep the spread of the virus low. Return to community spread is possible without early detection.	Tribes in Level 2 have virus in the community, but there are fewer people infected than in Level 3. People can get sick without knowing where they caught the virus. We can reduce the spread of the virus by limiting some activities.

Level 3: Lockdown **VERY HIGH RISK OF INFECTION**

Tribes in Level 3 have a lot of the virus in the community. People can get sick without knowing where they caught the virus. The healthcare system can become overwhelmed. Powerful actions are needed to slow the spread of the virus as quickly as possible.

Indicator Cutoffs

Indicators	Green	Yellow	Red
Test Positivity	<5%	5-9%	≥10%
New Cases (per 100,000)	<10	10-24	≥25
Change in New Cases	<-10%	-10-10%	>10%
COVID Hospitalizations	<5%	5-10%	≥10%

Notes:

The GPTCHB Report is a living document. Indicators, cut off values, and recommendations may change as the science on COVID-19 evolves. We will note when indicators or recommendations are changed and why. Each tribe's alert level is based on the most current information available to best reflect the risk of COVID-19 in the community and what tribes can do to reduce the spread of the virus.

About:

Test Positivity: Percentage of tests positive over the last 7 days

Calculated using data from each state's website for each PRC county. Should include unique individuals only based on CDC definitions, but we cannot verify if there are duplicates.

Percent test positivity = (Persons tested positive in past 7 days/persons tested in past 7 days)*100

New Cases: Average number of new cases per day per 100,000

Calculated using data from each state's website for each PRC county.

Case counts = (average number of new cases day/population)*100,000

Change in New Cases: Percentage change in the number of cases over last two weeks

Calculated using data from each state's website for each PRC county.

Change in case counts = [(new cases in past 7 days)-(new cases in past 8-14 days)]/(new cases in past 8-14 days)

COVID Hospitalizations: Percentage of hospitalized patients with COVID

Calculated using data from HeathData.gov website. For tribes that have PRC counties or land in multiple states, the state in which the tribe is headquartered and/or the largest on-reservation healthcare facility is located.

Percent of COVID Hospitalizations = Average percent of total hospitalizations occupied by COVID patients over last 7 days